




Die TSM 10 ist ein multifunktionaler und kompakter Lautsprecher der Oberklasse. Aufgrund der optimierten Stimmendurchsetzung gute Eignung als hochwertiger Fullrange/HiMid Lautsprecher oder als universeller Monitor. Die Box überzeugt durch gute klangliche Eigenschaften, optimales Handling und Leistungsfähigkeit.

PRODUCT SPECIFICATIONS

| | |
|---|--|
| Speaker Components | 10" Nd / 1" |
| Description | Multi Purpose Sound System |
| Power AES / Peak | 400 W / 1200 W |
| Impedance nominal | 8 Ω |
| SPL 1 W / Peak @ 1 m | 96 dB / 126 dB |
| Usable Range | 60 Hz - 19 kHz (-6 dB) |
| Tuning Frequency excursion minimum | 68 Hz |
| X - Overpoint acoustical | 1,5 kHz |
| Coverage horizontal / vertical | 90° x 60° - rotatable |
| Max. Splay Angle | - - - |
| Connectors | 2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru |
| Handles | 1 x |
| Rigging / Fittings | 3 x M10 / 6 x M8 35 mm pole mount |
| Weight | 14,5 kg |
| Size height x width x depth | 51,5 x 32,4 x 29,5 cm |
| Order No. | 00960/II |




Ergonomischer Griff auf der Oberseite.



Anschlussfeld.




DIMENSIONS



Controller Setups:


<https://www.seeburg.net/de/downloads>

Sensitivity 1 W @ 1 m + Impedance




COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical





Flying Bracket

for TSM 10/ A 4 horizontal alignment,
incl. screws
(per unit: 2 pcs. adapters, M10 hex
lock nuts, flat- and rubber washers)
Order No. **01220/H/set**



Flying Bracket

for TSM 10 / A 4
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01220/set**



Ergostyle Lobe Knob

for flying brackets,
M10 x 20, with grip, adjustable
Order No. **08171**



Rubber Washer

for flying brackets,
40 mm
Order No. **01205**



Flange

35 mm Ø → M10,
Order No. **08126**



Flange

with ball and socket joint,
with additional locking screw,
M10 x 15, max. load 15 kg
Order No. **08125**



Truss Clamp

incl. M10 Adapter,
max. load 15 kg
Order No. **01221**



Doughty Quick Trigger Clamp

max. load 250 kg
Order No. **01223/250 kg**



Ring Screw

M10– DIN 580
Order No. **73700**



TV Spigot

10 mm internal thread,
28 mm Ø
Order No. **08128**



Steel Safety

4 mm x 600 mm, black,
max. load 10 kg (BGI 810-3),
quick connector undetachably
Order No. **01376/4**



Chain Fastener

VBS 7 mm
Order No. **01378**

ACCESSORIES TSM 10

Wall Mount



for U-brackets, max. load 40 kg,
incl. screws
(M10 x 70 mm socket head screw,
M10 hex lock nut and flat washer)

for 8"-12" speakers
Order No. **08130/F/269**

Wall Mount



with tilt unit, max. load 40 kg
Order No. **08130**

Speaker Stand



K&M, incl. wind up,
height 138,5 to 218 cm,
max. load 50 kg,

Order No. **03011**

K&M, height 137,5 to 218,5 cm,
max. load 50 kg,

Order No. **03010**

Cover



for TSM 10 / A 4,
padded

Order No. **01242**


Rain Cover



for TSM 10 / A 4

Order No. **01242/outdoor**


Honeycomb Grille



for TSM 10 front grille version,
for replacement, foam behind

Order No. **97079/hex/compl.**


Flight Case



for 2 pcs. TSM 10 / A 4,
heavy duty, 9 mm birch multiplex,
PVC coated, 2 x recessed sprung
handles, 4 x butterfly catches,
4 x 100 mm blue wheels, 2 pcs. with
brake, interior lined with felt.

Order No. **16049**


Flight Case Trunk



for 2 pcs. TSM 10 / A 4
and accessories, heavy duty,
9 mm birch multiplex, PVC coated,
hinged lid, 6 x recessed sprung handles,
2 x butterfly catches, 4 x 100 mm blue
wheels, 2 pcs. with brake, interior lined
with felt.

Order No. **16060**

Flight Case Trunk



for 4 pcs. TSM 10 / A 4
with flying brackets 01220,
heavy duty, 9 mm birch multiplex,
PVC coated, 6 x recessed sprung
handles, 2 x butterfly catches,
4 x 100 mm blue wheels, 2 pcs. with
brake, interior lined with felt.

Order No. **16063**

