



Der G Sub 1501 ist ein universeller 15" Hochleistungssubwoofer in besonders flacher Bauweise. Mit 60 x 60 cm Grundmaß kann er kippsicher auch größere HiMid-Systeme im Stangenbetrieb aufnehmen und mit nur 40 cm Höhe leicht in bestehende Bühnenkonstruktionen integriert werden. Er überzeugt durch sein gutes Handling, sein tiefes und sattes Bassfundament sowie durch sein modernes Design.

PRODUCT SPECIFICATIONS


Speaker Components	15" Nd (4" VC)
Description	Passive Bass Extension
Power AES / Peak	1000 W / 3000 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	100 dB / 135 dB
Usable Range	35 Hz - 220 Hz (- 6 dB)
Tuning Frequency excursion minimum	42 Hz
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- loop thru, 2 +/- Sub 1 x sSpeakon NL4MP in/out Coding: 1 +/- Sub, 2 +/- loop thru
Handles	2 x
Rigging / Fittings	M20 on top Wheelboard fittings
Weight	26,0 kg (+ 6,0 kg wheelboard)
Size height x width x depth	40,0 x 60,0 x 60,0 cm
Order No.	00620



Fittings für Rollenwagen und robustes Wabenlochgitter.



DIMENSIONS




Controller Setups:


<http://www.seeburg.net/de/downloads>

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



APPLICATIONS




G Sub 1501 / GL 24



G Sub 1501 / X 4



G Sub 1501 / A 3



G Sub 1501 / G Sub 1501 dp+
Cardiod-Anordnung

ACCESSORIES G Sub 1501

Speaker Pole

M20, with wind up, K&M

Order No. **03023**



M20, adjustable, K&M

Order No. **03022**



Wall Mount

bar: 400 mm, max. load 40 kg,
incl. (M10 x 70 mm socket head screw,
M10 hex lock nut and flat washer)

Order No. **08130/F400/w** (RAL 9010)

Order No. **08130/F400**



Ceiling Mount

for Subwoofer,
2 parts, incl. screws

Order No. **08129**

Order No. **08129/w** (RAL 9010)



MultiRigg™ light

version for fixed installations,
for horizontal and vertical alignment,
incl. accessories (2 x M10 x 20 socket
head screws), max. load 50 kg

Order No. **01362**



Cover

for G Sub 1501,
by using wheel board

Order No. **01239/WB**



Cover

for G Sub 1501,
without wheel board

Order No. **01239**



Wheel Board

for G Sub 1501,
stackable, 6 kg

Order No. **01267**

