





Basserweiterung für das Galeo C Line Array. Integrierte Flugmechanik für geflogene Arrayanwendungen und Groundstackbetrieb. Das klassische Bassreflexkonzept des Galeo C Sub bewirkt in Kombination mit den besonders strömungsgünstig ausgeführten Bassreflextunneln und dem Hochleistungs - 18" Neodym - Treiber eine besonders impulstreue und tiefreichende Basswiedergabe.

## PRODUCT SPECIFICATIONS

|   |  |
|---|--|
| <b>Speaker Components</b>                 | 18" Nd (4,5" VC)   |
| <b>Description</b>                        | Passive Bass Extension   |
| <b>Power</b> AES / Peak                   | 1500 W / 4500 W  |
| <b>Impedance</b> nominal                  | 8 Ω  |
| <b>SPL</b> 1 W / Peak @ 1 m               | 101 dB / 138 dB  |
| <b>Usable Range</b>                       | 30 Hz - 200 Hz (-6 dB)   |
| <b>Tuning Frequency</b> excursion minimum | 36 Hz  |
| <b>Connectors</b>                         | 3 x Speakon NL4 in/out<br>Coding (2x): 1+/- loop thru, 2+/- Sub<br>Coding (1x): 1+/- Sub, 2+/- loop thru |
| <b>Handles</b>                            | 6 x  |
| <b>Rigging / Fittings</b>                 | M20 on top<br>Wheelboard fittings<br>Integrated flying hardware  |
| <b>Weight</b>                             | 49 kg<br>(+ 8 kg wheelboard)   |
| <b>Size</b> height x width x depth        | 58,0 x 58,0 x 78,0 cm  |
| <b>Order No.</b>                          | <b>00415</b>   |



## DIMENSIONS




## APPLICATIONS




Galeo C + Galeo C Sub

## MEASUREMENTS

### Frequency Response with Presets



### Sensitivity 1 W @ 1 m + Impedance



## ACCESSORIES Galeo C Sub

### Flying Frame



for Galeo C / Galeo C Sub,  
incl. accessories  
(3 pcs. 8 x 25 mm ball lock pins,  
load adapter and 100 mm distance  
bar) - also for ground stack.  
Order No. **01326**

### Ball Lock Pins



for Galeo C / Galeo C Sub  
flying frame  
Order No. **01380/6x25** (6 x 25 mm)  
Order No. **01380/8x25** (8 x 25 mm)

### Load Adapter



for Galeo C / Galeo C Sub flying  
frame  
Order No. **01327**

### Load Adapter M10



for Galeo C / Galeo C Sub / PS 1  
flying frame  
Order No. **01328**

### Speaker Pole



250 mm, ø 35 mm, M20  
with ring lock  
Order No. **03020**

### Speaker Pole



M20, with crank  
Order No. **03023**

### Wheelboard



for Galeo C Sub / G Sub 1801,  
also usable as Dolly,  
stackable, 8,0 kg  
Order No. **01268**

### Dolly



for Galeo C Sub / G Sub 1801,  
up to 3 units, 80 x 60 cm  
Order No. **01268/Dolly**

### Twin Dolly



for up to 6 x Galeo C Sub /  
6 x G Sub 1801/ 3 x G Sub 1802,  
118 x 60 cm  
Order No. **01273/Dolly**


### Cover



for Galeo C Sub / G Sub 1801,  
by using wheelboard  
Order No. **01234/C**



Dolly



Twin Dolly