




Multifunktionales 10" / 1" System mit ausgewogenen Klangeigenschaften im kompakten Format. Geringes Gewicht durch Neodym-Bestückung. Gute Baßwiedergabe auch ohne Controller. Diverse M8 und M10 Aufnahmepunkte sorgen für die einfache Montage des Zubehörs. Auch als Festinstallationsvariante lieferbar.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	250 W / 750 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	95 dB / 123 dB
Usable Range - 6 dB	60 Hz - 20 kHz
Tuning Frequency Excursion minimum	65 Hz
X - Overpoint acoustical	1,6 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	---
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	2 x M10 / 7 x M8 4 x M10 / 7 x M8 (installation version) 35 mm pole mount
Weight	13,2 kg
Size height x width x depth	51,5 x 32,4 x 30,6 cm
Order No.	00250 00250/AF (installation version)



Der hochbelastbare 1" Treiber, in Kombination mit dem drehbaren Horn, sorgt für eine hohe klangliche Präzision.




Ergonomischer Griff auf der Oberseite.




Neodym 10" Lautsprecher mit wasserabweisender Membranbeschichtung.

DIMENSIONS



Installation Version AF 4




Controller Setups finden Sie unter:


<http://www.seeburg.net/downloads.php>

COVERAGE PATTERNS

2D Directivity Plot - 90° x 60° - horizontal



2D Directivity Plot - 90° x 60° - vertical





Flying Bracket

for A 4 / TSM 10 horizontal alignment,
incl. screws
(per unit: 2 pcs. adapters, M10 hex
lock nuts, flat- and rubber washers)
Order No. **01220/H/set**



Flying Bracket

for A 4 / TSM 10
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01220/set**



Flying Bracket

for AF 4 horizontal alignment,
incl. screws (per unit: 2 pcs. M10 x 20
socket head screws, rubber washers)
Order No. **01220/H/AF4**



Ergostyle Lobe Knob

for flying brackets, M10 x20,
with grip, adjustable
Order No. **08171**



Flange

for flying brackets,
35 mm Ø → M10,
Order No. **08126**



Rubber Washer

for flying brackets,
40 mm
Order No. **01205**



Doughty Trigger Clamp

for flying bracket,
SWL 200 kg
Order No. **01222**



Steel Safety Cable

4 mm - 50 cm
Order No. **01376**



Chain Fastener

VBS 7 mm
Order No. **01378**



Ring Screw

M10– DIN 580,
black zinced
Order No. **73700**



TV Spigot

10 mm internal thread,
28 mm Ø
Order No. **08128**

ACCESSORIES A 4

Wall Mount



for U-brackets, 40 kg max., incl. screws (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)

for 8"-12" speakers

Order No. **08130/F/269**

Wall Mount



with tilt unit, 40 kg max.

Order No. **08130**

Speaker Stand



Incl. wind up, 50 kg max., height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M

Order No. **03010**

Cover



for A 4 / TSM 10, padded

Order No. **01242**


Rain Cover



for A 4 / TSM 10


Order No. **01242/outdoor**

Flight Case




for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, 4 pcs. butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16049**




Flight Case Trunk




for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16060**



Flight Case Trunk



fits for 4 pcs. TSM 10 / A 4 with flying brackets 01220. Heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 6 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16063**

