




Multifunktionales 10" Nd/1" System mit ausgewogenen Klangeigenschaften im kompakten Format. Geringes Gewicht durch Neodym-Bestückung. Gute Basswiedergabe auch ohne Controller. Diverse M8 und M10 Aufnahmepunkte sorgen für die einfache Montage des Zubehörs. Auch als Festinstallationsvariante lieferbar.

PRODUCT SPECIFICATIONS

| | |
|---|---|
| Speaker Components | 10" Nd / 1" |
| Description | Multi Purpose Sound System |
| Power AES / Peak | 300 W / 900 W |
| Impedance nominal | 8 Ω |
| SPL 1 W / Peak @ 1 m | 95 dB / 123 dB |
| Usable Range | 60 Hz - 20 kHz (-6 dB) |
| Tuning Frequency Excursion minimum | 65 Hz |
| X - Overpoint acoustical | 1,6 kHz |
| Coverage horizontal / vertical | 90° x 60° - rotatable |
| Connectors | 2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru |
| Handles | 1 x |
| Rigging / Fittings | 2 x M10 / 7 x M8 4 x M10 / 7 x M8 (installation version) 35 mm pole mount |
| Weight | 13 kg |
| Size height x width x depth | 51,5 x 32,4 x 30,6 cm |
| Order No. | 00250/II 00250/AF/II (installation version) |




Der hochbelastbare 1" Treiber, in Kombination mit dem drehbaren Horn, sorgt für eine hohe klangliche Präzision.




Ergonomischer Griff auf der Oberseite.



DIMENSIONS



Installation Version AF 4




Controller Setups:


<https://www.seeburg.com/de/downloads>

MEASUREMENTS


2D Directivity Plot - horizontal



Sensitivity 1 W @ 1 m + Impedance



2D Directivity Plot - vertical



Flying Bracket



for A 4 / TSM 10 horizontal alignment, incl. accessories

Order No. **01220/H/set/w** (RAL 9010)
Order No. **01220/H/set**

Flying Bracket



for A 4 / TSM 10
incl. (black version: 2 x M10 x 20 handle screws, 2 x rubber washers
white version: 2 x M10 x 20 socket head screws, 2 x rubber washers)

Order No. **01220/set/w** (RAL 9010)
Order No. **01220/set**

Flying Bracket



for AF 4 horizontal alignment, incl. (2 x M10 x 20 socket head screws, 2 x rubber washers)

Order No. **01220/H/AF4/w** (RAL 9010)
Order No. **01220/H/AF4**

Handle Screw



for flying brackets, adjustable

Order No. **08375/20** (M10 x 20)

Rubber Washer



for flying brackets, 5 mm x 40 mm Ø

Order No. **01206**

Knurled Head Nut



reduction screw for fastening M10 Pole Mount Adapter (08126)

Order No. **73755**

Pole Mount Adapter



35 mm Ø → M10 x 16 mm, M8 x 20 star knob screw

Order No. **08126**

35 mm Ø → M10 x 16 mm

Order No. **08126/II**

Flange



with ball and socket joint, with additional locking screw, M10 x 15, max. load 15 kg

Order No. **08125**

TV Spigot



10 mm internal thread, 28 mm Ø

Order No. **08128**

Quick Trigger Clamp



max. load 100 kg

Order No. **01223/100 kg**

Quick Trigger Clamp - small



M10, max. load 20 kg

Order No. **01223/20 kg**

Truss Clamp



incl. M10 Adapter, max. load 15 kg

Order No. **01221**

Steel Safety



6 mm x 600 mm, black, max. load 22 kg (BGI 810-3), quick connector undetachably

Order No. **01376/6**

Ring Screw



M10– DIN 580

Order No. **73700** (zincd)

Order No. **73700/sw** (black zincd)

Chain Fastener



VBS 7 mm

Order No. **01378**

Wall Mount



bar: 269 mm, max. load 40 kg, incl. (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)

Order No. **08130/F/269/w** (RAL 9010)

Order No. **08130/F/269**

Wall Mount



with tilt unit, max. load 40 kg

Order No. **08130**

ACCESSORIES A 4

Speaker Stand



incl. wind up,
height 138,5 to 218 cm,
max. load 50 kg,

Order No. **03011**

K&M, height 137,5 to 218,5 cm,
max. load 50 kg,

Order No. **03010**

Cover



for A 4 / TSM 10,
padded

Order No. **01242**


Rain Cover



for A 4 / TSM 10

Order No. **01242/outdoor**

Honeycomb Grilles




for A 4 front replacement.

Foam behind grille

Order No. **97008/hex/compl**

Order No. **97008/hex/compl/w**
(RAL 9010)




Foam in front of grille

Order No. **97008/compl**

Order No. **97008/compl/w**
(RAL 9010)


Flight Case



for 2 pcs. TSM 10 / A 4,
heavy duty, 9 mm birch multiplex,
PVC coated, 2 x recessed sprung
handles, 4 x butterfly catches,
4 x 100 mm blue wheels, 2 pcs. with
brake, interior lined with felt.

Order No. **16049**


Flight Case Trunk



for 2 pcs. TSM 10 / A 4
and accessories, heavy duty,
9 mm birch multiplex, PVC coated,
hinged lid, 6 x recessed sprung handles,
2 x butterfly catches, 4 x 100 mm blue
wheels, 2 pcs. with brake, interior lined
with felt.

Order No. **16060**

Flight Case Trunk



for 4 pcs. TSM 10 / A 4
with flying brackets 01220,
heavy duty, 9 mm birch multiplex,
PVC coated, 6 x recessed sprung
handles, 2 x butterfly catches,
4 x 100 mm blue wheels, 2 pcs. with
brake, interior lined with felt.

Order No. **16063**

