



**Basserweiterung für das Galeo S Line Array. Integrierte Flugmechanik für geflogene Arrayanwendungen und Groundstackbetrieb. Das klassische Bassreflexkonzept des Galeo S Sub bewirkt in Kombination mit den besonders strömungsgünstig ausgeführten Bassreflexkanälen und dem Hochleistungs - 15" Neodym - Treiber eine besonders impulstreue und tiefreichende Basswiedergabe.**

## PRODUCT SPECIFICATIONS

<b>Speaker Components</b>	15" Nd
<b>Description</b>	Passive Bass Extension
<b>Power</b> AES / Peak	1000 W / 3000 W
<b>Impedance</b> nominal	8 Ω
<b>SPL</b> 1 W / Peak @ 1 m	101 dB / 136 dB
<b>Usable Range</b>	35 Hz - 220 Hz (-6 dB)
<b>Tuning Frequency</b> excursion minimum	42 Hz
<b>Connectors</b>	2 x Neutrik Speakon NL4MP in/out Coding: 1+/- loop thru, 2+/- Sub
<b>Handles</b>	4 x
<b>Rigging / Fittings</b>	M20 on top and side Wheelboard fittings Integrated flying hardware
<b>Weight</b>	33 kg (+ 7 kg wheelboard)
<b>Size</b> height x width x depth	56,0 x 45,0 x 60,0 cm
<b>Order No.</b>	<b>00460</b>



Ergonomischer Griff mit integriertem M20 Flansch.




Fittings für Rollenwagen.



Integrierte Flugmechanik.

## DIMENSIONS




Controller Setups finden Sie unter:


<http://www.seeburg.net/downloads.php>

## MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



## ACCESSORIES Galeo S Sub

### Flying Frame



for Galeo S / Galeo S Sub,  
incl. accessories  
(3 pcs. 6 x 20 mm ball lock pins,  
load adapter and 100 mm distance  
bar) - also for ground stack.  
Order No. **01310**

### Ball Lock Pin



for Galeo S / Galeo S Sub,  
flying frame and flying cradle  
6,0 x 20,0 mm  
Order No. **01380/6x20**

### Load Adapter



for Galeo S / Galeo S Sub,  
flying frame and flying cradle  
Order No. **01311**

### Clamp Adapter



for Galeo S / Galeo S Sub,  
flying frame and flying cradle-> truss  
Order No. **01313**

### Speaker Pole



M20, with crank, K&M  
Order No. **03023**

### Cover



for Galeo S Sub,  
by using wheelboard  
Order No. **01234/S**

### Wheelboard



for Galeo S Sub,  
also usable as Dolly,  
stackable, 7,0 kg  
Order No. **01269**

### Dolly



for Galeo S Sub, up to 3 units,  
horizontal alignment  
Order No. **01269/D3**

### Dolly



for Galeo S Sub, up to 6 units,  
horizontal alignment  
Order No. **01269/D6**

