X4 COAXIAL

Multifunktionales und kompaktes 2-Wege System der Oberklasse. Der koaxiale Aufbau sorgt in Kombination mit einem aufwendig entwickelten und großflächigen Horn für ein absolut gleichmäßiges Übertragungsverhalten auch außerhalb der Hauptabstrahlachse. Hochleistungs-Neodymantriebe und Langhubschwingspulen sorgen für einen hohen Wirkungsgrad bei gleichzeitig stark reduzierten Verzerrungen. Für die Installation und den universellen Einsatz stehen neun M10 Gewindeeinsätze zur Aufnahme des MultiRigg und weiteren Zubehörs zur Verfügung.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd (3" VC) / 1" Nd (1,7" VC)
Description	Multifunctional Coaxial Sound System
Power AES / Peak	350 W / 1000 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	97 dB / 127 dB
Usable Range	60 Hz - 19 kHz (-6 dB)
Tuning Frequency Excursion minimum	70 Hz
X - Overpoint acoustical	1,2 kHz
Coverage horizontal / vertical	80° x 60° - rotatable
Connectors	2 x Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	2 x
Rigging / Fittings	9 x M10 To be used with MultiRigg™ 35 mm pole mount
Weight	12,5 kg
Size height x width x depth	45,0 x 31,0 x 29,0 cm
Order No.	**01093**



Copyright 07-2025

SEEBURG acoustic line

DIMENSIONS



4 x M10 Twinpoints for MultiRigg™

Controller Setups:

https://www.seeburg.com/de/downloads

MEASUREMENTS

2D Directivity Plot - horizontal



Sensitivity 1 W @ 1 m + Impedance



2D Directivity Plot - vertical



Frequency Response with Presets



SEEBURG acoustic line

Flying-Bracket



for X 4,
horizontal alignment,
(incl. 4 x socket head screws
M10 x 20 mm, 4 x washers M10,
4 x rubber washers)

Order No. **01201/X4/set**

MultiRigg™

for flown and ground stacked applications, (incl. 2 x knurled screws M10 x 20 mm, 1 x handle screw M8 x 55 mm), max. load 50 kg

Order No. **01360**

MultiRigg™ Light

for fixed installations,
(incl. 2 x socket head screws M10 x 20 mm), max. load 50 kg

Order No. **01362**

MultiRigg™ Basic

(incl. load adapter M10,
2 x knurled screws M10 x 20 mm),
max. load: 50 kg

Order No. **01364**

MultiTilt™

Tilt adapter with adjustable tilt from 0° to 37,5° (2,5° steps), integr. pole mount adapter with clamping device, (incl. 2 x knurled screws M10 x 20 mm), max. load 50 kg

Order No. **01370**

Knurled Screw

M10 x 20 mm

Order No. **73750/w** (RAL 9010)
Order No. **73750**

Knurled Head Nut

reduction screw for fastening
M10 Pole Mount Adapter (08126)

Order No. **73755**

Pole Mount Adapter

35 mm ø –> M10 x 16 mm,
M8 x 20 star knob screw

Order No. **08126**

35 mm ø –> M10 x 16 mm

Order No. **08126/II**

Steel Safety

6 mm x 600 mm, black,
quick connector undetachably,
max. load 22 kg (BGI 810-3)

Order No. **01376/6**

TV Spigot

M10 internal thread,
28 mm Ø

Order No. **08128**

Ring Screw

M10– DIN 580

Order No. **73700** (zinced)
Order No. **73700/sw** (black zinced)

Quick Trigger Clamp

max. load 100 kg

Order No. **01223/100 kg**

Quick Trigger Clamp - small

M10, max. load 20 kg

Order No. **01223/20 kg**

MultiRigg™light

MultiRigg™



SEEBURG
acoustic line

ACCESSORIES X 4

Adapter

for X 4, X 6, X 8
for mounting with wall mount (03034),
incl. 2 x socket head screws
M10 x 20 mm

Order No. **01198/w** (RAL 9010)
Order No. **01198**

Wall Mount

2 x M6 fixing holes (d=73 mm),
1 x M10 fixing hole (center),
max. load 25 kg

Order No. **03034/w** (RAL 9010)
Order No. **03034**

Wall Mount

bar: 269 mm,
(incl. socket head screw M10 x 70 mm,
M10 hex lock nut and flat washer),
max. load 40 kg

Order No. **08130/F/269/w** (RAL 9010)
Order No. **08130/F/269**

Wall Mount

with tilt unit, max. load 40 kg

Order No. **08130**

Cover

for X 4,
padded

Order No. **01225/X4**

Rain Cover

for X 4,
with zipper

Order No. **01225/X4/outdoor**

Flight Case

for 2 pcs. X 4 and 2 pcs. MultiRigg,
partition walls, heavy duty, 9 mm
birch multiplex, PVC coated black,
6 x recessed sprung handles,
1 x butterfly catch, 4 x 100 mm blue
wheels (2 pcs. with brake), interior
lined with felt
Size (H x W x D): 63 x 61,5 x 59 cm

Order No. **16560**



Flight Case

Rain Cover

SEEBURG acoustic line
Produktions- und Vertriebs GmbH
Fon: +49 (0)7307 97 00-0
Fax: +49 (0)7307 97 00-29
Auweg 32
D-89250 Senden-Freudenegg
info@seeburg.net
www.seeburg.com

SEEBURG acoustic line