

Bass Extension Galeo XT Sub



Sub-bass extension for the GALEO XT system. A pair of newly developed 21" woofers with a voice coil diameter of 135 mm and 70 mm maximum excursion (peak to peak) combine with the hybrid horn construction to ensure undistorted, very high level bass within the usable range from 33 to 150 Hz. The special housing design guarantees a long throw and low power compression for high-performance applications.

PRODUCT SPECIFICATIONS

Speaker Components	2 x 21" Nd
Description	Passive Bass Extension
Power AES / Peak	3600 W / 10,8 kW
Impedance nominal	2 Ω
SPL 1 W / Peak @ 1 m	107 dB / 146 dB
Usable Range	33 Hz - 150 Hz
Tuning Frequency excursion minimum	39 Hz
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- Sub
Handles	4 x
Rigging / Fittings	Wheel board fittings
Weight	89 kg (+ 11,0 kg wheel board)
Size height x width - depth	60,0 x 110,0 x 107,0 cm
Order No.	00390



Robust Melamin skid plates on the sides and bottom of the cabinet.




Robust honeycomb grille with acoustic foam lining for dust and spray protection.



Removable wheel board for easy transport.

DIMENSIONS




Controller Setups are available on our website:


<http://www.seeburg.net/downloads.php>

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



ACCESSORIES Galeo XT Sub

Wheel Board

for Galeo XT Sub, stackable,
11 kg

Order No. **01272**



Cover

for Galeo XT Sub

Order No. **01238**



Removable wheel board.

