

Passive Bass Extension **Galeo T Sub**



Bass extension for the Galeo T line array featuring integrated flying hardware for flown or ground stacked applications. The classic bass reflex design in combination with flow optimised ports and the high power 21" Nd driver provide accurate bass reproduction even in the lowest frequency range.

PRODUCT SPECIFICATIONS

Speaker Components	21" Nd
Description	Passive Bass Extension
Power AES / Peak	1500 W / 4500 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	103 dB / 139 dB
Usable Range	31 Hz - 150 Hz (-6 dB)
Tuning Frequency excursion minimum	36 Hz
Connectors	2 x Speakon NL4MP in/out Coding: 1+/- loop thru, 2+/- Sub
Handles	4 x
Rigging / Fittings	M20 on top and side Wheelboard fittings Integrated flying hardware*
Weight	62 kg (+ 9 kg wheelboard)
Size height x width x depth	56,0 x 76,0 x 76,0 cm
Order No.	00430 00430/GV (Ground Version) * not included in Galeo T Sub GV



Wheelboard Fittings




Galeo T / Galeo T Sub



Integrated and recessed flying hardware.

DIMENSIONS




Controller Setups finden Sie unter:


<http://www.seeburg.net/downloads.php>

MEASUREMENTS

Frequency Response with Presets



Sensitivity 1 W @ 1 m + Impedance



ACCESSORIES Galeo T Sub

Flying Frame



for Galeo T / Galeo T Sub,
(incl. 3 x ball lock pins 12 x 40 mm,
load adapter and 100 mm distance
bar), also for ground stack.
Order No. **01316**

Load Adapter



for Galeo T / Galeo T Sub,
flying frame
Order No. **01316/L**

Ball Lock Pins



for Galeo T / Galeo T Sub,
flying frame
Order No. **01380/6x40** (6 x 40 mm)
Order No. **01380/12x40** (12 x 40 mm)

Speaker Pole



250 mm, ø 35 mm, M20
with ring lock
Order No. **03020**

Cover



for Galeo T Sub,
by using wheelboard
Order No. **01234/T**

Wheelboard



for Galeo T Sub, on front,
stackable, 9 kg
Order No. **01275**

Dolly



for Galeo T Sub, up to 3 units,
4 x 100 mm wheels with brake,
incl. top board (stackable),
horizontal alignment
Order No. **01275/Dolly**



Cover.



Stackable Wheelboard.