

Compact Sound System for Multiple Use **TSM 8**



Multifunctional and compact speaker system for high quality speech and music transmission over short to medium distances. State of the art high performance components combined with the practical enclosure design and the extensive range of accessories make the TSM 8 suitable for a wide variety of demanding applications.

PRODUCT SPECIFICATIONS

Speaker Components	8" Nd / 1"
Description	Multipurpose Sound System
Power AES / Peak	300 W / 900 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	96 dB / 125 dB
Usable Range - 6 dB	70 Hz - 19 kHz
Tuning Frequency excursion minimum	73 Hz
X - Overpoint acoustical	1,4 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	- - -
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	5 x M10 35 mm pole mount
Weight	9,0 kg
Size height x width x depth	43,0 x 25,0 x 25,0 cm
Order No.	00968



Easy handling regarding the connection- especially for operation as stage monitor.




Generously dimensioned bass reflex tunnel provides bass response that is exceptional for this class.



Ergonomic handle on top, total of five additional M10 flying points can be utilised for mounting the extensive accessories.

DIMENSIONS




Controller Setups are available on our website:


<http://www.seeburg.net/Controller-Setups>

COVERAGE PATTERNS

2D Directivity Plot - horizontal



2D Directivity Plot - vertical



Flying Bracket



for TSM 8 / TS Mini
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01213/set**

Flying Bracket



for TSM 8
horizontal alignment, incl. screws
(per unit: 2 pcs. M10 x 20 socket head
screws, spring- and rubber washers)
Order No. **01213/H/set**

Ergostyle Lobe Knob



for flying brackets,
M10 x 20, with grip, adjustable
Order No. **08171**

Flange



for flying brackets,
35 mm Ø -> M10,
Order No. **08126**

Rubber Washer



for flying brackets,
40 mm
Order No. **01205**

Doughty Trigger Clamp



for flying brackets,
SWL 200 kg
Order No. **01222**

Steel Savety Rope



4 mm - 50 cm
Order No. **01376**

Chain Fastener



VBS 7 mm
Order No. **01378**

Ring Screw



M10- DIN 580,
black zinced
Order No. **73700**

TV Spigot



10 mm internal thread,
28 mm Ø
Order No. **08128**



ACCESSORIES TSM 8

Wall Mount



for U-brackets, 40 kg max., incl. screws
(M10 x 70 mm socket head screw,
M10 hex lock nut and flat washer)

for 8"-12" speakers
Order No. **08130/F/269**

Wall Mount



with tilt unit, 40 kg max.
Order No. **08130**

Wall Mount



M10, 15 kg max.
Order No. **08131**
Order No. **08131/ws** (white)

Speaker Stand



Incl. wind up, 50 kg max.,
height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M
Order No. **03010**

Front Grille



for TSM 8,
front grille version,
foam behind


Order No. **97072/hex/compl.**

Bag



for 2 x TSM 8, padded
with pocket for accessories
Order No. **01245**

Flight Case Trunk



for 2 pcs. TSM 8,
heavy duty, 6,5 mm birch multiplex,
PVC coated, ball corners, 2 pcs
recessed sprung handles, butterfly
catches, 100 mm blue wheels, 2 pcs.
with brake, interior lined with felt.

Order No. **16058**



Front Grille version