

Compact Multiple Use Sound System **TSM 10**



The TSM 10 is a multifunctional top class system in compact format. Fitted with a rotatable horn and lightweight, high efficiency Neodym drivers, the TSM 10 is as equally well suited to use as a full range / high mid PA loudspeaker as it is to monitor applications. This system provides good sound and power handling characteristics in an easy to handle package.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	400 W / 1200 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	96 dB / 126 dB
Usable Range - 6 dB	60 Hz - 19 kHz
Tuning Frequency excursion minimum	68 Hz
X - Overpoint acoustical	1,5 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	- - -
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	3 x M10 / 6 x M8 35 mm pole mount
Weight	14,5 kg
Size height x width x depth	51,5 x 32,4 x 29,5 cm
Order No.	00960




Ergonomically formed handle on the top surface.



Connection panel.



DIMENSIONS




Controller Setups are available on our website:


<http://www.seeburg.net/downloads.php>

COVERAGE PATTERNS

2D Directivity Plot - 90°x 60°horizontal



2D Directivity Plot - 90°x 60°vertical



Flying Bracket



for TSM 10/ A 4 horizontal alignment,
incl. screws
(per unit: 2 pcs. adapters, M10 hex
lock nuts, flat- and rubber washers)
Order No. **01220/H/set**

Flying Bracket



for TSM 10 / A 4
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01220/set**

Ergostyle Lobe Knob



for flying brackets,
M10 x20, with grip, adjustable
Order No. **08171**

Flange



for flying brackets,
35 mm Ø -> M10,
Order No. **08126**

Rubber Washer



for flying brackets,
40 mm
Order No. **01205**

Doughty Trigger Clamp



for flying brackets,
SWL 200 kg
Order No. **01222**

Steel Safety Cable



4 mm - 50 cm
Order No. **01376**

Chain Fastener



VBS 7 mm
Order No. **01378**

Ring Screw



M10- DIN 580,
black zinced
Order No. **73700**

TV Spigot



10 mm internal thread,
28 mm Ø
Order No. **08128**

ACCESSORIES TSM 10

Wall Mount



for U-brackets, 40 kg max., incl. screws (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)

for 8"-12" speakers
Order No. **08130/F/269**


Wall Mount



with tilt unit, 40 kg max.

Order No. **08130**

Speaker Stand



Incl. wind up, 50 kg max., height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M

Order No. **03010**

Cover



for TSM 10 / A 4, padded

Order No. **01242**


Rain Cover



for TSM 10 / A 4

Order No. **01242/outdoor**


Front Grille



for TSM 10, front grille version, foam behind

Order No. **97079/hex/compl.**


Flight Case



for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, 4 pcs. butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16049**


Flight Case Trunk



for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16060**

Flight Case Trunk



fits for 4 pcs. TSM 10 / A 4 with flying brackets 01220. Heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 6 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16063**



Front grille version.

